# SITE PLAN

for JAMES KEKELIS
CLIENT OWNER

1369 ABERDEEN DR., MADISON, O.
ADDRESS STREET CITY

PART OF 11967 Concord Hambden - S/L 12 ROBERTS SUBD. L-96
SUBLOT NO. SUBDIVISION NAME VOL. PAGE

E 10, 1 CONCORD TWP. OHIO
LOT, TRACT

## REMARKS

ALL BOUNDARY DATA SHOWN WAS OBTAINED FROM (DEEDS, RECORDED SUBDIVISION PLAT OR OTHER PUBLIC RECORDS). LOCATIONS AS SHOWN OF ADJACENT WELLS AND SEPTIC TANKS OBTAINED FROM LAKE COUNTY HEALTH DEPARTMENT.

## LEGEND

SANITARY MANHOLE
PROPOSED CONTOURS
EXIST. ELEV. 100.0
100.0 PROP. ELEV.
WATER VALVE (GAS)
DIRECTION OF SURFACE DRAINAGE

## CHECK LIST

| | |
|---|---|
| NO. OF BEDROOMS | WATER MAIN SIZE, LOCATION |
| DIMENSIONS | SAN. SEWER SIZE % GR. LOC. |
| BEARINGS | SAN. MH. CAST. ELEV. IN. ELEV. |
| TIE TO NEAREST STREET | SAN. CONN. SIZE, LOC. DEPTH |
| SUBLOT NO. PARCEL NO. | STORM SEWER SIZE % GR. LOC. |
| SURROUNDING OWNERS | STORM MH. CAST ELEV. INV. ELEV. |
| BLDG. DIMENSIONS FIN. GR. | PAVT. TYPE GRADE CURBS |
| BLDG. TIES FL'R. GRADES | GAS LINE LOC. SIZE PRESSURE |
| APRON TYPE WIDTH THICKNESS | SEPTIC TANK LOCATION & DUPLICATION AREA |
| SIDEWALK TYPE WIDTH THICKNESS | WELL LOCATION |
| CULVERT TYPE DIA. LENGTH | ISOLATION RADIUS FROM WELL |
| ROCK OUTCROPPINGS | |

## DESIGN CERTIFICATION

THIS PLAT WAS PREPARED BY ME AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Richard J. Kekelis PS#5244
NAME SURVEYOR REGISTRATION NO.

## "AS BUILT" CERTIFICATION

I HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING GRADES OBTAINED ON THE SITE ON _____ 19____ AND ARE CORRECT TO THE BEST OF MY ACKNOWLEDGMENT AND BELIEF.


LAND DESIGN consultants, inc.
9613 JACKSON STREET MENTOR, OHIO 44060
TELEPHONE (216) 951-6872 or 354-6646


| | | | | | |
|---|---|---|---|---|---|
| 1 | 50 CULV | RJB | DRAWN BY RJB | SCALE 1"=40' | DRAWING NO. |
| 2 | | | CHK'D. | DATE 9/14/77 | 19-12 |
| 3 | | | CREW CHIEF RJB | APP'D. | |

10/4/77

#3433

1

Reviewed and Accepted
LAKE COUNTY COMBINED GENERAL DISTRICT DEPARTMENT OF HEALTH
Date 9-15-77
FRED C. KLUTH, M. D.
Health Commissioner
By

Grading Plan Approved as shown and/or noted
THOMAS P. GILLIES, P.E.
Lake County Engineer
By _____ Date 9-14-77

ZONING PERMIT
Approved 9-14-77

S 51° 53' 37" E 223.99'
N 35° 43' 55" E 364.38'
S 38° 31' 00" W 364.38'
84.90'
82.91'
180.00'
80.00
80.00
142.5'
N 51° 49' 00" W 100.00'
60.00'
46.32
N 51° 49' 00" W
356.70
N 38° 11' 33" E
S 38° 31' 00" W
451.08'
N 51° 49' 00" W
CONCORD-HAMBDEN ROAD 60'
WILLIAMS ROAD
APPROX. LOCATION W.H.
GAR FLOOR ELEV. 101.33
1600 GAL. POSITIVE DISCHARGE AERATOR
400 GRD. GAB.
30 SQ. FT. SAND FILTER
INSTALL 15" ∈ 12" CULV @ 2.8% RJB
Move Line Away from Property Line
SWALE
DITCH
12" DRIVE
STONE
50' ± S.B.
77' ± S.B.
50' ± S.B.
EXISTING GROUND
PROFILE 1"=40' HORZ 1"=4' VERT
HYDRAULIC GRADE
SCALE 1"=40'