SITE PLAN
FOR
TRIPLE "E" CO.

Being part of original Leroy Township Lot No. 12 in the County of Lake and State of Ohio
Scale 1"=30' March, 1981

Registered Ohio Surveyor No. 4195
SLABE & MACKAY
CIVIL ENGINEERS & SURVEYORS

NOTE:
Parcel location & survey provided by owner

STATE OF OHIO
MACKAY
4195
REGISTERED
PROFESSIONAL SURVEYOR

Existing Grades
Finish Grades
TYPICAL

Existing Contour
FINISH CONTOUR
SURFACE FLOW

LEROY TOWNSHIP
Zoning Approved
#1292 21 APR 81
Zoning Inspector

Grading Plan Approved
as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By _____ Date 4-23-81



EVAPORATION-TRANSPIRATION TREN



NOTES

1. Alternate flow from Section I to Section II annually.
2. Minimum fall of 1" from inlet to outlet lines.
3. Twenty foot minimum distance from Septic Tanks to He
4. Clean sand .4 to 1MM in size, uniform coefficient no to exceed 4.
5. Sewage disposal system & structures to be in accordance with Detail and Specifications of the Lake County General Health District

N.W. Cor. Irene Greig 8/13/44 Vol. 201 Pg. 164

#1493

5/2/16 Callow