SITE PLAN

LEROY TOWNSHIP — LAKE COUNTY, OHIO

for: NEFF-FAUVER
CLIENT OWNER

ADDRESS STREET CITY ZIP

CARTER-VROOMAN SUBDIVISION NAME
VOL.-PG.
5 SUBLOT NO.
CARTER STREET

LOT TRACT
VOLUME PAGE
PERM. PARCEL NO. STREET

LEGEND

SANITARY MANHOLE
STORM MANHOLE
INLET OR CATCH BASIN
HYDRANT
EXISTING CONTOURS
PROPOSED CONTOURS
EXIST. ELEV. 100.0 / PROP. ELEV. 100.0
WATER VALVE (GAS)
WATER METER (GAS)
AS BUILT ELEVATION 100.0
INDICATES DIRECTION OF SURFACE DRAINAGE

REMARKS

ALL BOUNDARY DATA SHOWN WAS OBTAINED FROM (DEEDS, RECORDED SUBDIVISION PLAT OR OTHER PUBLIC RECORDS)

LOCATIONS AS SHOWN OF ADJACENT WELLS AND SEPTIC TANKS OBTAINED FROM LAKE COUNTY HEALTH DEPARTMENT

DESIGN CERTIFICATION

THIS PLAT WAS PREPARED BY ME, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

NAME SURVEYOR REGISTRATION NO. 4574

CHECK LIST

NO. OF BEDROOMS
DIMENSIONS
BEARINGS
TIE TO NEAREST STREET
SUBLOT NO. PARCEL NO.
SURROUNDING OWNERS
BLDG. DIMENSIONS FIN. GR.
BLDG. TIES FL'R. GRADES
APRON TYPE WIDTH THICKNESS
SIDEWALK TYPE WIDTH THICKNESS
CULVERT TYPE DIA., LENGTH
ROCK OUTCROPPINGS
WATER MAIN SIZE, LOCATION
SAN. SEWER SIZE % GR. LOC.
SAN. MH, CAST. ELEV. INV. ELEV.
SAN. CONN. SIZE, LOC. DEPTH
STORM SEWER SIZE % GR. LOC.
STORM MH. CAST ELEV. INV. ELEV.
PAVT. TYPE GRADE CURBS
GAS LINE LOC. SIZE PRESSURE
SEPTIC TANK LOCATION & DUPLICATION AREA
WELL LOCATION
ISOLATION RADIUS FROM WELL

REVISIONS		
NO.	DATE	BY
1		
2		
3		
4		
5		

PLAN PREPARED BY:
DEBEVEC • SALO & ASSOCIATES, INC.
125 E. ERIE ST. PAINESVILLE, OHIO

DRAWN BY CHODGES	SCALE 1" = 40	PHONE NO. 352-9250
CHK'D.	DATE 6-26-79	DRAWING NO. 5443-5
CREW CHIEF	APP'D.	

"AS BUILT" CERTIFICATION

I, HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING FINISH GRADES CHECKED IN THE FIELD ON _____, 19 __ AND ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED SURVEYOR REG. NO.

Reviewed and Accepted
LAKE COUNTY COMBINED GENERAL DISTRICT DEPARTMENT OF HEALTH
Date 9-11-79
FRED O. KEITH, M. D.
Health Commissioner
By

Grading Plan Approved as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By Date 10-1-79

LOW YIELD WATER FIXTURES REQUIRED ON ALL:
___ Shower Head
___ Toilet
___

S 86° 29' 42" W 150.00'

S/L 5

HOUSE DETAIL
SCALE: 1" = 30'

NORTH

N 86° 29' 42" E

150.00'

175.00' SETBACK FROM RIGHT-OF-WAY

TWO 1,000 GALLON SEPTIC TANKS

SPLITTER

DISTRIBUTION BOX

1,000 L.F. EVAPO-TRANSPIRATION SYSTEM

DUPLICATION AREA

100' ABSOLUTE RADIUS

CURTAIN DRAIN

DOWNSPOUT CONNECTED TO CURTAIN DRAIN

WELL

BENCHMARK
RAILROAD SPIKE SET IN POWER POLE #270948 IN FRONT OF S/L 5
ELEV. 912.10

16' TAR & CHIP PAVEMENT

789.86' TO THE ℄ OF VROOMAN RD.

CARTER ROAD 60'

EVAPO-TRANSPIRATION TRENCH

CURTAIN DRAIN TRENCH

TYPICAL SECTION
SCALE 1/2" = 1'-0"

8'-0" MIN. 24" MIN. 12" MIN.
2" TOPSOIL (2 MIN.)
4" MIN. TO 10" MAX. SAND
4" (4" RIGID-3 HOLE PERFORATED PLASTIC PIPE (OR APPROVED EQUAL))
6" 4" RIGID PERFORATED PLASTIC PIPE (OR EQUAL)
2" 3/4" GRAVEL
SAND
INSPECTION WELL: MIN 8" DIA. WITH SECURED COVER IF DRAINED TO STO. SEWER OR THRU ADJACENT LOTS

LEROY TOWNSHIP
Zoning Approved
#1231 25 June 79
Zoning Inspector

5443 JUN 29 1979