NOTES: 1. The Contractor Shall Verify the Following Before Starting: Finish Floor Elevations and House Size. Location and elevation of existing utility connections.
2. Contractor Shall Contact OUPS at least 2 Working Days prior to construction, 1-800-362-2764.
KNIFFEN ROAD 60' R/W
SITE LIMITS SCALE: 1" = 180'
TYPICAL CURTAIN DRAIN CROSS SECTION
WASHED GRAVEL
FLEXIBLE 4" PERFORATED PIPE
2" WASHED GRAVEL
12" TYP.
DEPTH SHALL BE 6" DEEPER THAN DEEPEST ET TRENCH BOTTOM
TYPICAL EVAPOTRANSPIRATION TRENCH CROSS SECTION (NO SCALE)
24" TYP.
MINIMUM 2" TOPSOIL
10" OF MEDIUM COARSE SAND
2" MEDIUM COARSE SAND
2" GRAVEL
4" GRAVEL (WASHED) (3/4" to 1 1/2")
2" MEDIUM COARSE SAND
4" 3-HOLE PERFORATED ABS or PVC PIPE
24" TYP. (CAN VARY 18"-30")
Mary E. Muir
V.810 PG.440
PP# 7A-06-19
S00°06'40"E
656.00' (deed)
5/8" PIN FD
DUPLICATION AREA
8 ET LINES @ 125' EACH
1000 LF TOTAL
4" CURTAIN DRAIN
DISTRIBUTION BOXES (TYP. of 8)
SPLITTER BOX
(2) 1000 GALLON SEPTIC TANKS
CURTAIN DRAIN DISCHARGE
187.0'
(937' to R/W of KNIFFEN)
50.0'
N00°17'00"W
S 00°17'00" E
929.55'
989.55'
WELL
EXIST. POND
W.L. 1079.0 ±
HYDRAULIC PROFILE
HORIZ. SCALE: 1" = 30'
VERT. SCALE: 1" = 4'
SCALE 1" = 30'
RECEIVED AND ACCEPTED
LAKE COUNTY GENERAL
HEALTH DISTRICT
Grading Plan Approved as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By WH Date 11/17/97
12" Drive Culvert req'd
LEROY TOWNSHIP
Zoning Approved
Zoning Inspector
STATE OF OHIO
DAVID A. RAPP 7507
REGISTERED PROFESSIONAL SURVEYOR
"I, the undersigned hereby certify that this topography, indicated by 1' contours and elevations shown hereon represents an actual field survey made by me on Oct. 15, 1997 and that the elevations were taken at appropriate intervals and that as of that date they existed as indicated hereon."
David A. Rapp
10/6/97
Reg. No.
SITE PLAN
LAKE COUNTY, OHIO
for: CHARLIE CUTTS
client
owner
subdivision name
plat volume and page