SEWAGE SYSTEM PROFILE

EX. GROUND

75
74
73
72
71
70

1176.6 1174.0 1172.4 1172.8 1173.6 1174.0

75 70 1175

SEPTIC TANKS 1172.0

1180.0

HOUSE

DITCH

24" COL.

LEROY TOWNSHIP
Zoning Approved
12-10 25 TAPPING
Zoning Inspector

IPS

S 0-15 E 465.0

CURTAIN DRAIN

1.611 AC

DUPL. AREA

N 87°-45'-E 151.90

HIGHLAND TR. NE SUB

1.P.S.

1.P.F.

WELL

24' 28'

1177.5

1176.5

110'

75'

1178.5 DR.

1177.5

29'

FF=1180.0

1000 GAL SEPTIC TANKS

2-1000 G/S S.TANKS

DISTR. BOX

20'-12" CMP

N 89°-45'-E 150.02

1178

465.0

1168 1170 1172 1174 1176 1178

Grading Plan Approved as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By: Date 4-30-79

W. L. JR. & SUE-ANN MYERS
V. 812 - 809

BM.-P.K. NAIL IN POLE # 594804 EL. = 1178.92

3/4" GAS.

4"

CURTAIN DRAIN DETAIL

2" 10" 24"

SAND 10"
GRAVEL 6"
4" TILE
SAND 24"

TRENCH DETAIL

DESIGN CERTIFICATION

THIS PLAT WAS PREPARED BY ME, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REG. SURVEYOR NO. 4785

AS BUILT CERTIFICATION

I HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING FINISH GRADES CHECKED IN THE FIELD ON _____ AND THAT SURVEY IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REG. SURVEYOR NO. _____

COLPETZER · WOODS
CONSULTANTS, INC.
180 SOUTH STATE STREET • PAINESVILLE, OHIO 44077 • (216) 357-7569

DATE July 28
SCALE 1" = 40'
DRWN BY
CHKD BY
JOB NO. 7853 D
FB 351 PG

SITE PLAN for
ANDREW CIANFAGLIONE BLDR
IN LOT 7 LEROY TWP.
LAKE COUNTY, OHIO

13842 Radcliffe Rd.