# SITE PLAN

for FOLEY CONSTRUCTION CO.
CLIENT OWNER

8780 MENTOR AVE. MENTOR, OHIO
ADDRESS STREET CITY

SUBLOT NO. 38 | SUBDIVISION NAME LEROY TOWNSHIP | VOL. | PAGE
LOT. | OHIO

## REMARKS

ALL BOUNDARY DATA SHOWN WAS OBTAINED FROM (DEEDS, RECORDED SUBDIVISION PLAT OR OTHER PUBLIC RECORDS). LOCATIONS AS SHOWN OF ADJACENT WELLS AND SEPTIC TANKS OBTAINED FROM LAKE COUNTY HEALTH DEPARTMENT.

## LEGEND

SANITARY MANHOLE
PROPOSED CONTOURS
EXIST. ELEV. 100.0 / PROP. ELEV. 100.0
WATER VALVE (GAS)
DIRECTION OF SURFACE DRAINAGE

## CHECK LIST

NO. OF BEDROOMS
DIMENSIONS
BEARINGS
TIE TO NEAREST STREET
SUBLOT NO. PARCEL NO.
SURROUNDING OWNERS
BLDG. DIMENSIONS FIN. GR.
BLDG. TIES FLR. GRADES
APRON TYPE WIDTH THICKNESS
SIDEWALK TYPE WIDTH THICKNESS
CULVERT TYPE DIA., LENGTH
ROCK OUTCROPPINGS
WATER MAIN SIZE, LOCATION
SAN. SEWER SIZE & GR. LOC.
SAN. MH. CAST. ELEV. IN. ELEV.
SAN. CONN. SIZE, LOC. DEPTH
STORM SEWER SIZE & GR. LOC.
STORM MH. CAST ELEV. INV. ELEV.
PAV'T TYPE GRADE CURBS
GAS LINE LOC. SIZE PRESSURE
SEPTIC TANK LOCATION & DUPLICATION AREA
WELL LOCATION
ISOLATION RADIUS FROM WELL

## DESIGN CERTIFICATION

THIS PLAT WAS PREPARED BY ME, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. Richard J. Polster PS#5244
NAME SURVEYOR REGISTRATION NO.

## "AS BUILT" CERTIFICATION

I HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING GRADES OBTAINED ON THE SITE ON _____ 19____ AND ARE CORRECT TO THE BEST OF MY ACKNOWLEDGMENT AND BELIEF.


LAND DESIGN consultants, inc.
9613 JACKSON STREET MENTOR, OHIO 44060
TELEPHONE (216) 951 6872 or 354 6646


| | | | | | |
|---|---|---|---|---|---|
| 1 | MOVE HSE. | 5279 PJS | DRAWN BY PJS | SCALE 1"=30' | DRAWING NO. |
| 2 | | | CHK'D. | DATE 10-21-78 | 238-NS |
| 3 | | | CREW CHIEF RWH | APP'D. | |

N 4006'58" W 150.63

N 88°45'03" W 473.03

N 88°45'03" W 484.31

6 LINES @ 83' EA

6 LINES @ 83' EA

4 PLUGGED ENDS

ALTERNATE FIELD 10 LINES @ 100' EA 8 C-C

4" FORCE MAIN 118'±

20'±

6'±

100' ISOLATION RADIUS

2-1000 GAL TANKS

LIFT PUMP

EXISTING HOUSE

65.00'

35.00

50' ISOLATION RADIUS

FIN FLOOR ELEV 96.83

GAR FLOOR 96.33

28.00

22.00

PROPOSED WELL

100.00' SETBACK

6' WIDE DITCH

12' DRIVEWAY

INSTALL 12" CULV @ 94.5

DITCH

18' GRAVEL ROADWAY

150.00'

590.00'

TAYLOR ROAD 60'

LEROY CENTER ROAD 60'

Grading Plan Approved as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By _____ Date 5-10-79

SCALE 1"=30' HORZ 1"=3 VERT

HYDRAULIC PROFILE

SPLIT TEE @ 94.87

94.7 94.6 94.5 94.4 94.2 94.0 93.8 93.6 93.4 93.2 92.9 92.7

EXISTING GRADE

ALTERNATE AREA

PROPOSED GRADE

LIFT PUMP

16 SM 16 SM

FIN FLOOR ELEV 96.83

FIN GR ELEV 96.00

2" MIN. TOPSOIL

SAND 6" MAX

4"

GRAVEL

4" PERFORATED PIPE

8"

2" SAND

24"

TRENCH DETAIL