HYDRAULIC PROFILE

105
100
95
90
85

EXISTING GRADE
NORTH
PROPOSED FINISH GRADE
PROPOSED HOUSE
PROPOSED FINISH GRADE
SEPTIC TANK
SEPTIC BED
2-4" (1) SWD PERF. PLASTIC PIPE

VACANT

S02°25'30"E
225.00 DEED USED
S89°15' DEED USED
335.00 DEED USED
N 02°25'30" W
100
1 PIPE SET
W. P. HOLLINGSHEAD
VOL. 811 PG. 86
L.C.O.R. I-1592
AREA OF DUPLICATION
F.F. ELEV. 102.39
EXISTING HOUSE
1ST GRAVEL D/W
MIDDLE RIDGE ROAD 80'
PAD
GARAGE F.F.ELEV. 101.82
Proposed Septic Bed
F.F. Elev. 101.82
Building Set Back Line
Proposed Septic Tank
N 02°25'30" W
255.15 DEED USED
AREA OF DUPLICATION
200.00' DEED USED

Grading Plan Approved
As Shown and/or Noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By _____ Date 7-11-96

A. To be Installed in Shaded Areas
1. Gravity Type absorption trenches
2. Diffusion Box Covers
3. Distribution Box Level
B. No Water Closets or Appurtenances to be discharged into Septic System
C. All Waste Water to be discharged into Septic System

SEWAGE DISPOSAL PERMIT MUST BE OBTAINED BY A LAKE COUNTY LICENSED INSTALLER BEFORE INSTALLATION IS STARTED.

Reviewed and Accepted
LAKE COUNTY GENERAL HEALTH DISTRICT
Date 7-7-96
JOEL LUDA, R.S., M.P.H.
Health Commissioner
By _____

APPROVED
MADISON TOWNSHIP ZONING
JUL 8 1996
BOARD

LOW YIELD WATER FIXTURES REQUIRED ON ALL:
— Shower Head
— Toilet

STATE OF OHIO
WILLARD SCHADE JR.
6008
REGISTERED SURVEYOR

NOTES

1. Topographic Survey by Schade Surveying Company, dated 6-28-96.
2. Sewage disposal to be by individual home sewage treatment system, as per Lake County General Health District regulations.
3. Water supply to be from private individual water supply system (well) and distributed through lines to residence, as per permit.

I (We) acknowledge receipt of a copy of the approved Water Supply and Sewage Disposal Plans and agree to comply with all conditions and requirements of the Lake County General Health District regulations governing the installation of the sewage disposal system and water supply as shown on the plans.

Willard P. Hollingshead — July 2, 1996

SCHADE SURVEYING COMPANY
WILLARD P. SCHADE, JR. REGISTERED SURVEYOR
SEPTIC SITE PLANS — SCALE 1"=20' — DATE 7-2-96
HOLLINGSHEAD
MIDDLE RIDGE ROAD MADISON TOWNSHIP, OHIO
FB 78