MORGAN DR. 40'

BENCHMARK
POLE 59063

DUE SOUTH 144.03

10'-R
A=15.71

DUPLICATION AREA

S89°50'E 97.55'

WTR CONN.

DRIVE

PROPOSED HSE FF 102.58

2-1000 GAL SEPTIC TANKS

DISTRIB. BOX

INSPECTION PORTS

4" EVAPO TRANSPIRATION TILE

SWALE ALONG P/L

DUE NORTH 154.03'

WALTER E. AND ELNA C. MAKEE, V794: 407

DORCHESTER RD.

8" WATER LINE

EXIST. PAVT.

PAINESVILLE TOWNSHIP
ZONING APPROVED
#4362 3-14-78
Zoning Inspector

TRENCH DETAIL

24" MIN.

TOPSOIL

SAND

GRAVEL (¾")

SAND

2'

SEPTIC SYSTEM PROFILE
HOR. SCALE: 1" = 20'
VERT. " 1" = 5'

HSE WALL

FF 102.58

GROUND PROFILE

4" V.S.P.

SPLITTER BOX

DISTRIBUTION BOX

4" EVAPO TRANSPIRATION TILE

2-1000 GAL SEPTIC TANKS

105
100
95
90

DESIGN CERTIFICATION

"THIS PLAT WAS PREPARED BY ME AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF"

REG. SURVEYOR NO. 4185

AS BUILT CERTIFICATION

I HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING FINISH GRADES CHECKED IN THE FIELD ON _____ AND THAT SURVEY IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

REG. SURVEYOR NO. _____

Grading Plan Approved
as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By _____ Date 3/Mar/78

NOTE: UNDERLINED ELEVATIONS INDICATE PROPOSED GRADES.
BENCHMARK: NAIL IN POLE
#59063, ELEV. 100.00 (ASSUME

GRADING PLAN
FOR
SHEILA VONDENBERG
BEING SUBLOT 16 IN A.B. BRAID SUBDIVISION, IN TRACT 1, LOT 30, IN THE TA

DATE FEB 1978
SCALE 1" = 20'
DRAWN BY RAL
CHKD BY _____
FIELD BK. NO. 111

Colpetzer · Woods Consultants, Inc.
CONSULTING ENGINEERS AND SURVEYORS
PAINESVILLE, OHIO 44077