SITE PLAN

for TOM REED
CLIENT OWNER

180 CHESTNUT ST. PAINESVILLE
ADDRESS STREET CITY

PARCEL

SUBLOT NO. SUBDIVISION NAME VOL. PAGE
30 – 1 PAINESVILLE TWP.) OHIO
LOT, TRACT

REMARKS

ALL BOUNDARY DATA SHOWN WAS OBTAINED FROM (DEEDS, RECORDED SUBDIVISION PLAT OR OTHER PUBLIC RECORDS). LOCATIONS AS SHOWN OF ADJACENT WELLS AND SEPTIC TANKS OBTAINED FROM LAKE COUNTY HEALTH DEPARTMENT.

LEGEND

SANITARY MANHOLE
PROPOSED CONTOURS
EXIST. ELEV. 100.0 / 100.0 PROP. ELEV.
WATER VALVE (GAS)
DIRECTION OF SURFACE DRAINAGE

CHECK LIST

NO. OF BEDROOMS
DIMENSIONS
BEARINGS
TIE TO NEAREST STREET
SUBLOT NO. PARCEL NO.
SURROUNDING OWNERS
BLDG. DIMENSIONS FIN. GR.
BLDG. TIES FL'R. GRADES
APRON TYPE WIDTH THICKNESS
SIDEWALK TYPE WIDTH THICKNESS
CULVERT TYPE DIA., LENGTH
ROCK OUTCROPPINGS
WATER MAIN SIZE, LOCATION
SAN. SEWER SIZE & GR. LOC.
SAN. MH. CAST. ELEV. IN. ELEV.
SAN. CONN. SIZE, LOC. DEPTH
STORM SEWER SIZE & GR. LOC.
STORM MH. CAST ELEV. INV. ELEV.
PAV'T TYPE GRADE CURBS
GAS LINE LOC. SIZE PRESSURE
SEPTIC TANK LOCATION & DUPLICATION AREA
WELL LOCATION
ISOLATION RADIUS FROM WELL

DESIGN CERTIFICATION

THIS PLAT WAS PREPARED BY ME, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Richard J. Keller PS# 5244
NAME SURVEYOR REGISTRATION NO.

"AS BUILT" CERTIFICATION

I HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING GRADES OBTAINED ON THE SITE ON _____ 19____ AND ARE CORRECT TO THE BEST OF MY ACKNOWLEDGMENT AND BELIEF.

LAND DESIGN consultants, inc.
9613 JACKSON STREET MENTOR OHIO 44060
TELEPHONE (216) 951-6872 or 354-6646

1			DRAWN BY RJB	SCALE 1"=30	DRAWING NO.
2			CHK'D.	DATE 1/8/79	274-W
3			CREW CHIEF EWH	APP'D.	

HYDRAULIC PROFILE SCALE 1"=30 HORZ. 1"=3' VERT

EXISTING GRADE E'LY LINES W'LY LINES

PROPOSED GRADE E'LY LINES W'LY LINES

SCALE 1"=30'

N

S89°00'45"E 100.00'

to RR Tracks

0.901 ACRES

INSTALL NEW SWALE

N 0°55'15"E 392.28'

S 0°58'15"W 387.27'

DUPLICATION AREA

DUPLICATION AREA

SWALE

PLUGGED FINS

8 LINES @ 75' EA.

CURTAIN DRAIN

EXIST HOUSE

PROP ADDITION

1553

15957

1587

1589

EXISTING SWALE

SETBACK

NOTE: SURROUNDING PROPERTY OWNED BY SAME PARTY.

PAINESVILLE TOWNSHIP
ZONING O.K.
PENDING DRAINAGE

R. Hall
Zoning Inspector

LOW YIELD WATER FIXTURES REQUIRED ON ALL:
Shower Head
Toilet

A. To be brought to finished grade
1. Septic tank manhole covers
2. Splitter box cover
3. Distribution box cover
4. Vent Pipes
B. No footer drains or downspouts to be discharged into septic tanks
C. All waste water to be discharged into septic tanks

Reviewed and Accepted
LAKE COUNTY COMBINED GENERAL DISTRICT DEPARTMENT OF HEALTH
Date 2-13-79
FRED C. KLUTH, M. D.
Health Commissioner
By

Grading Plan Approved as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By _____ Date 2-14-79

EXISTING 12" WT. PIPE EL. 704.07

EXIST HYD.

APPROX LOC. WATER MAIN

PARK ROAD

MADISON AVENUE

S 76°33'30"W 467.02'

N88°56'W

C22'

77.40

23.34

PAV'T

BENCHMARK
TOP OF HYDRANT SHOWN
ELEV. 710.76

2" TOPSOIL
SAND
4"
GRAVEL
2" SAND
4" RIGID PERFORATED PIPE
24" MAX.
24"

TRENCH DETAIL

FEB 12 1979