SITE PLAN
FOR
JOE KOZLOWSKI
BEING S/L 7, WELLINGTON RIDGE ESTATES SUB'D,
PERRY TOWNSHIP, LAKE COUNTY, OHIO.

SCALE: 1" = 30'

Reviewed and Accepted
LAKE COUNTY GENERAL HEALTH DISTRICT
Date 8-7-92
Swale must be dug prior to permit will be issued
JOEL LUCIA, R. S., M. P. H.
Health Commissioner
By

LOW YIELD WATER FIXTURES REQUIRED ON ALL:
— Shower Head
— Toilet
— ____

A. To be brought to finished grade
1. Septic tank manhole covers
2. Splitter box cover
3. Distribution box cover
B. No footer drains or downspouts to be discharged into septic tanks
C. All waste water to be discharged into septic tanks

SEWAGE DISPOSAL PERMIT MUST BE OBTAINED BY A LAKE COUNTY LICENSED INSTALLER BEFORE INSTALLATION IS STARTED.

⊗ CURVE DATA
= 330.00
= 98.53
= 98.90
= S84°08'53"E

S 14°55'46" E — 392.07'

S/L 7 2.02 Ac.
(VACANT)

N 83°16'00" W 73.53'

BRIDGEWATER AVE 60'

July 28, 1992
Rev 8-7-92

I, the undersigned hereby certify that this topography, indicated by 1' contour elevations shown hereon represent an actual field survey made by me on July 20 and that the elevations were taken at appropriate intervals and that all of that data they existed as indicated hereon.

S 88° 30' 40" E 322.55'

N 41° 49' 22" W 163.66'

S 27° 43' 37" E 367.05'

DUPLICATION W/AERATION

LINES TO FOLLOW CONTOURS

* DITCH TO BE CLEANED, REDIRECTED, DEFINED & DEEPENED 1' EAST OF HOUSE & FIELD

12" CMP

BENCHMARK - 791.92
Top Bolt Hydrant

HYDRAULIC PROFILE
VERT. 1" = 3' HORZ. 1" = 30'
"3 BEDROOM HOME"

FF - 789.3

Dist Box Inv 781.7
Dist Box Inv 781.9
Splitter Inv 782.1
1000 Gal. Tank Inv 782.2
1000 Gal. Tank Inv 782.3
* Grinder Pump Reqd. if Plumbing in Basement
Bsmt - 780.63

CURTAIN DRAIN DETAIL

EVAPORATION-TRANSPIRATION TRENCH DETAIL

Grading Plan Approved
as shown and/or noted
THOMAS P. GILLIGAN, P.E.
Lake County Engineer
By GIH Date 8-11-92

VILLAGE SURVEYING CO.
202 THIRD ST. FAIRPORT HBR. OHIO. 44077
(216) 357-1359